


## Caliber 6003.D – 11½"



### Product Specifications

Analog quartz movement

Line normtech

Caliber 6003.D

Size 11½"

Version Swiss Made 4 Jewels / gold plated EOL

Standard battery life 40 months

Standard hand fitting height 1

### Features

- Repairable metal watch movement
- Power saving mechanism with pulled out stem:  
Reduction of consumption approximately 70%

### Functions

- Date
- 3 hands

## Caliber 6003.D – 11½"

### Technical Specifications

Diameter Total	26.00 mm
Case fitting	25.60 mm
Movement height	2.50 mm
Height over standard battery	2.50 mm
Movement rest	0.60 mm
Height over stem	1.00 mm
Length of stem travel	1.00 mm
Stem thread	0.90 mm
Useful torque second – typical	6 µNm
Useful torque minute – typical	300 µNm
Operating temperature	0 - 50 °C
Instantaneous rate	-10/ +20 sec/month
Resistance to magnetic fields	18.8 Oe
Resistance against shock	NIHS 91-10



### Battery Specifications

Standard battery	No. 373
Standard battery life	40 months
Battery voltage	1.5 V
Current consumption – typical	1.03 µA (Date Mechanism not in Gear)
Current consumption – maximum	1.45 µA (Date Mechanism not in Gear)

### Watch production

Drawing Casing ring (standard, PDF)  
Drawing Dial (stem 3h, calendar 3h, round, PDF)  
Drawing Dial (stem 3h, calendar 3h, PDF)  
Drawing Hand fitting (hand height 1, PDF)  
Drawing Stem  
Casing information (PDF)

### User's manual

User's manual (PDF)

### Watch repairs

Technical instruction as of code A (PDF)